

## NORMES ET FRAIS TECHNIQUES DES ENCARTS 2012

10/11/11

Quantité minimum pour une opération : 5000 exemplaires SPLIT RUN : 5 visuels maximum

### FRAIS TECHNIQUES

Tarifs au 1000

ENCART BROCHE	margeur normal
	<b>10,00 €</b>
2 pages et +	
2 pages - Scent-strip® sur recto	

ENCART BROCHE - margeur à plat	margeur à plat
	<b>15,00 €</b>
MagnaStrip de 4 à 24 pages	
4 pages avec échantillon collé à l'intérieur	
4 pages - Scent-strip® en p. 2 ou 3	
2 pages - Scent seal® sur recto ou V°	
2 pages - Scent seal® sur verso	
4 pages - Scent seal® en p. 2 ou 3	
2 pages - Beautyseal® ou Lipseal® sur recto ou verso	

ENCART BROCHE - margeur retourneur	margeur retourneur
	<b>24,00 €</b>
4 pages et plus - détachables	
2 pages - Scent-strip® sur verso	

ENCART POSE sur 4e de couverture et mise s/film sur ABONNES	sur départements ou aléatoire
2 pages	<b>26,00 €</b>
4 pages et +	<b>35,00 €</b>

ENCART POSE sur 4e de couverture et mise s/film sur KIOSQUES	sur régions complètes
<i>sous réserve accord éditeur</i>	
2 pages et +	<b>80,00 €</b>

ENCART VOLANT JETE INTERIEUR sur ex. KIOSQUES	sur régions complètes
2 pages	<b>26,00 €</b>
4 pages et +	<b>40,00 €</b>

ENCART COLLE SUR UNE PAGE DE PUBLICITE	sur régions complètes
Carte	<b>40,00 €</b>
4 pages et + (booklet - leaflet)	<b>50,00 €</b>
Echantillon	<b>50,00 €</b>

### FRAIS POSTAUX jusqu'au 01/07/2012

<b>"Tarif Presse" ou Surcoût d'affranchissement (PT2)</b>	
(prix x le millier d'abonnés x poids)	<b>1,06 €</b>
<b>Tarif Presse+ ou Surtaxe postale (PTT)</b>	
<b>Forfait jusqu'à 15 g</b> (prix x le millier d'abonnés)	<b>31,00 €</b>
<b>&gt; à 15g</b> (prix x le millier d'abonnés x poids)	<b>2,06 €</b>

Tout encart sous forme de pli fermé doit avoir la mention suivante : "Peut être ouvert pour contrôle" ou "Envoi non clos"  
Sans cette mention, cet encart sera soumis au tarif "PRESSE+"

**Les frais postaux seront facturés au poids réel de l'encart et selon la tarification en vigueur .**

**Contraintes postales :** [http://www.lagardere-pub.com/info/documents/presse/tarifations\\_postales.pdf](http://www.lagardere-pub.com/info/documents/presse/tarifations_postales.pdf)

## NORMES TECHNIQUES

**Format du magazine :** 210 X 275 mm (L X H) **Grand Format**

**DOS CARRÉ - taqué en tête**

**ATTENTION TOUTE FABRICATION EN PLIS ACCORDÉON EST REFUSÉE**

GRAMMAGE PAPIER : [http://www.lagardere-pub.com/info/documents/presse/grammage\\_papier.pdf](http://www.lagardere-pub.com/info/documents/presse/grammage_papier.pdf)

Ce titre est imprimé sur papier PEFC. Nous souhaitons que les encarts soient imprimés sur papier certifié, non controversé (PEFC-FSC)

QUANTITE A LIVRER : TIRAGE + 2% de passe impératif

NORMES DE CONDITIONNEMENT : [http://www.lagardere-pub.com/info/documents/presse/normes\\_de\\_conditionnement.pdf](http://www.lagardere-pub.com/info/documents/presse/normes_de_conditionnement.pdf)

*Merci de nous consulter pour toute autre demande ne répondant pas aux contraintes ci-dessous*

ENCARTS BROCHES	FORMAT (L x H)	
	MINI	MAXI
<b>2 PAGES ET +</b>	110 x 150	210 X 275

FORMAT MAXI : + 4 mm de rogne en tête, + 5 mm en pied, en dos et en barbe

FORMAT MINI : + 4 mm de rogne en tête et + 5 mm en dos

- Encart détachable : perforations à 15 mm du dos
- Prévoir une réserve de 4 mm au dos pour les vernis

ATTENTION, vos textes et parties sensibles d'image doivent être en retrait de 10 mm

ENCARTS POSES sur 4e de couverture et mise s/film	FORMAT (L x H)	
	MINI	MAXI
<b>2 PAGES ET +</b>	110 x 110	210 X 275

ENCARTS JETES INTERIEUR en cours de brochage sur ex. KIOSQUES	FORMAT (L x H)	
	MINI	MAXI
<b>2, 4 ou 6 PAGES (10g maxi)</b>	110 x 150	150 X 210

grammage papier : 120 g/m2 mini

ENCARTS JETES INTERIEUR après brochage sur ex. KIOSQUES	FORMAT (L x H)	
	MINI	MAXI
<i>sous réserve d'opérations éditeurs ou de mise sous film du magazine</i>		
<b>8 PAGES ET +</b>	110 X 150	170 X 210

ENCARTS COLLES	FORMAT (L x H)	
	MINI	MAXI
<b>CARTE</b>	60 X 80	120 X 150
<b>ECHANTILLON (Si V° noir nous consulter)</b>	"	"
<b>BOOKLET</b>	"	150 x 210

ZONE DE TOLERANCE : 10 mm dans les deux sens - POIDS MAXI : 35g - EPAISSEUR MAXI : 2 mm

- Ne pas faire figurer d'hirondelles de placement sur les fichiers de la page pour impression.
- Les échantillons seront soumis à un essai de collage + un test de pression préalable sur 50 exemplaires minimum, au plus tard 6 semaines avant parution.

ZONE DE COLLAGE : voir ci-après

### IMPERATIFS TECHNIQUES A RESPECTER POUR TOUTES OPERATIONS D'ENCARTAGE


- 2 maquettes en blanc réalisées au format et qualité de papier choisis, pour accord technique au plus tard 6 semaines avant parution.
- Envoi d'un PDF du visuel de l'encart ou de l'emplacement du collage pour validation technique au plus tard 5 semaines avant parution.

Aucune contestation ne pourra être prise en considération si ces conditions ne sont pas respectées.


**En raison des impératifs inhérents à l'exécution du façonnage industriel, l'encartage est garanti à hauteur de 97 % du tirage, cette tolérance de 3% est déduite de nos tarifs.**

### CONTACT

LAGARDERE PUBLICITE - SERVICE ENCARTS  
 10 rue Thierry le Luron - 92592 LEVALLOIS PERRET  
 Nathalie marchandise - T. 01 41 34 81 48 - [encarts@lagardere-pub.com](mailto:encarts@lagardere-pub.com)



 ZONE DE COLLAGE

 ZONE DE COLLAGE ECHANTILLONS EPAIS  
(Pas de collage au centre de la page)

- Tolérance de collage : 10 mm dans les deux sens
- Ne pas imprimer de filets de placement sur le visuel recevant le collage
- Si échantillons noir au V°, nous consulter
- 50 ex seront nécessaires pour effectuer des tests

## TECHNICAL SPECIFICATIONS FOR INSERTS 2012

Minimum quantity for an operation: 5000 copies  
SPLIT RUN : Maximum 5 visuals

### Technical Costs

Rates per 1000

BOUND INSERT	normal paper feed
	<b>10,00 €</b>
2 pages and more	
2 pages - Scent-strip® on RHP	

BOUND INSERT	flat paper feed
	<b>15,00 €</b>
MagnaStrip of 4 - 24 pages	
4 pages with a sample glued in the inside	
4 pages - Scent-strip® on p2 or 3	
2 pages - Scent seal® on RHP	
2 pages - Scent seal® on LHP	
4 pages - Scent seal® on p2 or 3	
2 pages - Beautyseal® or Lipseal® on RHP or LHP	

BOUND INSERT	turn over paper feed
	<b>24,00 €</b>
4 detachable pages or more	
2 pages - Scent-strip® on LHP	

INSERT ON OBC, POLYBAGGED for subscribers	on departments or random
2 pages	<b>26,00 €</b>
More than 2 pages	<b>35,00 €</b>

INSERT ON OBC, POLYBAGGED for newsstands	on complete regions
2 pages or more	<b>80,00 €</b>

LOOSE INSERT inserted at the time of binding, for newsstands	on complete regions
2 pages	<b>26,00 €</b>
4 pages or more	<b>40,00 €</b>

INSERT GLUED ONTO AN ADVERT PAGE	on complete regions
Card	<b>40,00 €</b>
4 pages and more (booklet - leaflet)	<b>50,00 €</b>
Sample	<b>50,00 €</b>

### POSTAL COSTS until July 1st

<b>"Press Rates" or extra posting costs</b> (PT2) (price x per thousand subscribers x weight)	<b>1,06 €</b>
<b>"Press Rates +" or Postal surcharges</b> (PTT) - *Warning, increased postal charges on publications from 1st March 2011	
<b>Fixed rate up to 15g</b> (price x per thousand subscribers)	<b>31,00 €</b>
<b>&gt; 15g</b> (price x per thousand subscribers x weight)	<b>2,06 €</b>

Every closed fold insert must have the following message : "Peut être ouvert pour contrôle" or "Envoi non clos"  
Without this message, this insert will be subject to the "PRESSE+" rate.

**Postal charges will be invoiced depending on the real weight of the insert and the postage fees relative to the publication year.**

**Postal charges :** [http://www.lagardere-pub.com/info/documents/presse/tarifications\\_postales.pdf](http://www.lagardere-pub.com/info/documents/presse/tarifications_postales.pdf)

## TECHNICAL STANDARDS

**Magazine format : 210 X 275 mm (W x H) Large Format**

**PERFECT BOUND - jog to the head**

**ATTENTION ALL MANUFACTURING FOLDED INTO PLEATS WILL NOT BE ACCEPTED**

PAPER WEIGHT : [http://www.lagardere-pub.com/info/documents/presse/grammage\\_papier.pdf](http://www.lagardere-pub.com/info/documents/presse/grammage_papier.pdf)

This magazine is printed on PEFC paper. We would like the inserts to be printed on certified paper, non-controversial ( PEFC-FSC)

DELIVERY AMOUNT : PRINT RUN + 2% of waste

Packaging instructions : [http://www.lagardere-pub.com/info/documents/presse/normes\\_de\\_conditionnement.pdf](http://www.lagardere-pub.com/info/documents/presse/normes_de_conditionnement.pdf)

*Please contact us regarding any other requests that are not answered by the information below*

BOUND INSERTS	FORMAT (W x H)	
	MINI	MAXI
2 pages or more	110 x 150	210 X 275

MAXIMUM FORMAT : + 4 mm of top bleed, + 5 mm of bottom bleed, spine grind off and foredge bleed.

MINIMUM FORMAT : + 4 mm of top bleed, + 5 mm spine grind off

- Detachable inserts : perforations to be 15 mm from the spine
- Varnished inserts should have a gap of 4 mm from the spine

ATTENTION, for the maximum format, your texts and images should be left no nearer than 10mm from the trim edge

INSERT ON OBC, POLYBAGGED	FORMAT (W x H)	
	MINI	MAXI
2 PAGES or more	110 x 110	210 X 275

LOOSE INSERT inserted at the time of binding, for newsstands	FORMAT (W x H)	
	MINI	MAXI
2, 4 or 6 PAGES (10g maxi)	110 x 150	150 X 210

Minimum paper weight for an insert of 2 pages : 120 g/m2

LOOSE INSERT inserted after binding, for newsstands	FORMAT (W x H)	
	MINI	MAXI
subject to the operations of the editors and bagging of magazine		
8 PAGES or more	110 X 150	170 X 210

GLUED INSERTS	FORMAT (W x H)	
	MINI	MAXI
CARD	60 X 80	120 X 150
SAMPLE (if the back is black, consult us)	"	"
BOOKLET	"	150 x 210

ACCEPTED LIMITS : 10 mm in both directions - MAXIMUM WEIGHT : 35 g - MAXIMUM THICKNESS : 2 mm

- Do not include any registration marks (for the insert placement) in the file that will be printed.
- The samples will be subjected to a tip-on test and preliminary pressure-testing on a minimum of 50 samples, no later than 6 weeks before publication.

LIMITS FOR GLUING : see below


### REQUIRED TECHNICAL SPECIFICATIONS FOR A MECHANICALLY GLUED INSERT

- 2 white dummies in the chosen format and quality of paper, for technical approval
  - A visual PDF file of the insert or of its positioning must be sent for technical validation no later than 5 weeks before publication.
- If these conditions are not met, no contestation will be taken into account.


**Owing to the necessity inherent in the execution of industrial finishing, the inserting is guaranteed to the level of 97% of the Print run, this tolerance of 3% is deducted from our prices.**

### CONTACT

LAGARDERE PUBLICITE - SERVICE ENCARTS  
 10 rue Thierry le Luron - 92592 LEVALLOIS PERRET  
 Nathalie marchandise - T. 01 41 34 81 48 - [encarts@lagardere-pub.com](mailto:encarts@lagardere-pub.com)



 GLUING ZONE

 GLUING ZONE FOR THICK SAMPLE  
(No glued inserts in the center of the page)

- Gluing limits : 10 mm in both directions
- Do not print hairline rules (defining placement) on the final visual.
- If the samples have a black back then please consult us.
- 50 samples are required for performing the tests.